Nation of Allowability	Application No.	Applicant(s)
	10/064,463	KUO ET ALPN.
Notice of Allowability	Examiner	Art Unit
	Stephen M. D'Agosta	2683
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 2-24-05</u> .		
2. The allowed claim(s) is/are <u>1 and 3-8</u> .		
3. The drawings filed on <u>02 July 2005 and 04 February 2005</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the deposit of th	on's Patent Drawing Review (PTO-9 Amendment / Comment or in the O 84(c)) should be written on the drawing header according to 37 CFR 1.121(doi: it of BIOLOGICAL MATERIAL m	ffice action of gs in the front (not the back) of l). nust be submitted. Note the
attached Examiner's comment regarding REQUIREMENT F		AL MATERIAL.
Attachment(s)	E - National (1) ()	stant Application (DTO 450)
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 		etent Application (PTO-152)
	Paper No./Mail Date	ė
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	8), 7. Examiner's Amendm	ent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Statemen	nt of Reasons for Allowance
of Biological Material	9. Other	

Application/Control Number: 10/064,463

Art Unit: 2683

DETAILED ACTION

Response to Arguments

Applicant's arguments, see amendment, filed 2-24-05, with respect to claims 7-8 have been fully considered and are persuasive. The rejection of claims 7-8 has been withdrawn.

- 1. The applicant has amended claim 1 per the examiner's recommendation, hence claims 1 and 3-6 are allowed.
- 2. The applicant's arguments regarding claims 7-8 are persuasive, hence original claims 7-8 are allowed:
- "....concerning claims 7 and 8,......the current application provides a method for ensuring that a Radio Resource Control RRC supported by a mobile unit of a wireless communication system does not inadvertently release allocated radio bearers and move the mobile unit to an Idle Mode after the RRC switches from indicating an "Out of Service" condition to indicating an "In Service" condition. This is a very specific situation and is claimed as such.

In claim 7, the RRC in the CELL-FACH state and (in order) detects an "Out of Service" condition. After detecting the "Out of Service" condition, a timer happens to go off that indicates a need for a periodical cell update. Note that this situation is coincidental and not as a result of the detection of the "Out of Service" condition. A second timer is started as a direct result of the expiration of the first timer and limits the duration that the RRC should look for a suitable cell to camp on. If a suitable cell cannot be found before expiration of the second timer, the RRC releases the radio bearer and enters an Idle mode.

Although Hjelm teaches using a timer to limit a duration of holding an activated channel currently having no traffic, the Applicant is unable to find any teachings in either of the references to suggest that in this particular situation where the mobile is in the CELL FACH state, detects an Out of Service condition, then starts a timer as the result of a need for a periodical update, then the RRC detects an In Service condition, that the timer requires to be

Application/Control Number: 10/064,463

Art Unit: 2683

stopped a Cell Update procedure is not ongoing and a URA Update procedure is not ongoing" (Claim 7) to avoid the RRC releasing the radio bearer and entering the Idle Mode. Hjelm, if the timer is not stopped the RRC deactivates the related channel but does not enter the Idle Mode..."

"...Claim 8 again describes a highly specific situation where (in order) the RRC enters a CELL FACH state, detects an Out of Service condition and starts a time to limit the duration to regain service before releasing allocated resources; entering the Idle Mode, the RRC detects an In Service condition before the timer expires, and stops the timer if a Cell Update procedure is ongoing, or stopping the third timer if an update procedure is ongoing (Claim 8) to avoid the RRC releasing allocated resources and entering the Idle Mode..."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen M. D'Agosta whose telephone number is 571-272-7862. The examiner can normally be reached on M-F, 8am to 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bill Trost can be reached on 571-272-7872. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/064,463

Art Unit: 2683

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Stephen D'Agosta PRIMARY EXAMINER 4-18-05

pe